

CONTACTS SYNCHRONIZER LITE FOR IPHONE

USER GUIDE

Product Version: 1.0

CONTENTS

1. INTRODUCTION	4
2. INSTALLATION	4
2.1 DESKTOP INSTALLATION.....	5
2.2 IPHONE INSTALLATION	9
3. USING THE CONTACTS SYNCHRONIZER LITE ON THE DESKTOP	10
3.1 IPHONE CONTACTS SYNCHRONIZER LITE MENU	10
3.2 CREATING NEW PROFILE	10
3.3 PROFILE TYPE SELECTION.....	11
3.4 DATABASE SELECTION & SYNC INFORMATION	13
3.5 TABLE SELECTION/QUERY BUILDING	14
3.6 APPLYING FILTERS	15
3.7 FIELD MAPPING	17
3.8 FIELD MAPPING PREVIEW	18
3.9 SYNCHRONIZE DATABASE TO IPHONE.....	18
4. USING CONTACTS SYNCHRONIZER LITE ON IPHONE.....	19
5. SENDING CONTACTS IN .CSV FORMAT USING EMAIL.	20
6. FREQUENTLY ASKED QUESTIONS.....	22
6.1 HOW TO GET UDID OF IPHONE?	23
6.2 WHAT IS LIMITATION IN LITE VERSION?	23
7. SYSTEM REQUIREMENT	23
8. CONTACT US	24

List of Figures

Figure 1: Start Installation.....	5
Figure 2: Check Internet Connection	6
Figure 3: Device ID of iPhone	7
Figure 4: Installation Path	8
Figure 5: Finish Setup	9
Figure 6: Desktop Menu.....	10
Figure 7: New Profile Menu.....	11
Figure 8: Selection of Sync Action	12
Figure 9: Database Selection.....	13
Figure 10: Table Selection	15
Figure 11: Apply Filter.....	16
Figure 12: Field Mapping.....	17
Figure 13: Field Mapping Preview.....	18
Figure 14: Icon of ContactSyncLite on iPhone.....	19
Figure 15: Contacts Sync Lite App on iPhone	20
Figure 16: Sending contacts as a .csv.....	22
Figure 17: How to get UDID.....	23

1. Introduction

Welcome to **Contacts Synchronizer Lite for iPhone**. It will help you to transfer desktop database contents to iPhone Contacts Application. It allows transferring databases like MS Access, MS FoxPro, MySQL, dBase, and any ODBC Compliant Database like Oracle, SQL Server on iPhone Contacts. It follows very simple approach. There are two components. One works on desktop computer having Microsoft windows and other on iPhone. You just have to use the desktop side program (iPhoneContactSyncLite) to create desktop database profile (selection of database). Just run iPhone side program to work with Desktop component.

Features:

1. Overwrite/Adds any database to iPhone Contacts
2. Other Group data will be safe while syncing any database with the specific Group.
3. Supported Databases: MS Access, MS Excel, MS FoxPro, dBase, Oracle, SQL Server, MySQL and any ODBC-compliant Databases.
4. Transfer data from multiple tables.
5. Synchronize any database Wirelessly (3G, EDGE or Wi-Fi) with iPhone contacts.
6. Transfer data to specific iPhone Contacts Group.
7. Creates various Groups in iPhone Contacts application.
8. Send contacts in .csv format using email.

Lite version allows to use only sync type “Desktop Database Overwrites iPhone Contacts”. It will work with only one group (category) “Contactsync”. It works with 10 records of any database and allows sending 10 contacts in .csv format using email. [Get full version to avoid this limitation.](#)

2. Installation

This software needs to install two components. Install one component on your windows base Personal Computer (Desktop Installation) and another component on iPhone.

2.1 Desktop Installation

Download **iPhoneContactsSynchronizerLite.exe** setup file on Windows base PC.

Please make sure that Internet is available on the PC.

Run this **iPhoneContactsSynchronizerLite.exe** Setup file, this will show following screen.




Figure 1: Start Installation

In next installation step, software will check Internet connection available on your PC.




Figure 2: Check Internet Connection

Now Enter 40 characters UDID of your iPhone as Device ID. To get Device ID, connect your device to your PC and launch iTunes. In iTunes, select your device in the 'Devices' section and navigate to the Summary tab. Click on the Serial Number label to reveal the Identifier field and the 40 characters UDID. Press Ctrl+C to copy the UDID to your clipboard, and paste it in **Device ID** and **Confirm Device ID** field.

Software will only send data to Contacts of the iPhone whose UDID you have enter here.




Figure 3: Device ID of iPhone

Once you enter above information, in next installation step, select the installation path for this software on your Personal Computer.



Figure 4: Installation Path

Now finish the installation of desktop component.



Figure 5: Finish Setup

After successful installation of the software on PC, at installation path you will have **iPhone Contacts Synchronizer Lite folder**, which will have iPhoneContactSyncLite.exe and other files, required for this software. Shortcut for **iPhoneContactSyncLite.exe** and **User Guide** is available on your desktop.

2.2 iPhone Installation

From your computer:

1. Just click on [this link](#) to launch iTunes and download the app.
2. Once the download is complete, sync your iPhone or iPod touch with iTunes.
3. Go to the Home Screen on your device and tap the 'ContactSyncLite' icon.

From your iPhone:

1. Tap the App Store icon.
2. Search for *Contacts Synchronizer Lite for iPhone*.
3. Download the application.

Now you are ready to use Contacts Synchronizer Lite software.

Important: Install Contacts Synchronizer Lite software on the PC on which internet is available.

3. Using the Contacts Synchronizer Lite on the desktop

This section will explain how to use **Contacts Synchronizer Lite** software on your PC. Run **iPhone Contacts Synchronizer Lite** from the shortcut available on the desktop, or use Start Menu: **Start->Programs->iPhone Contacts Synchronizer Lite-> iPhone Contacts Synchronizer Lite**.

3.1 iPhone Contacts Synchronizer Lite Menu




Figure 6: Desktop Menu

3.2 Creating New Profile

From Profile menu, click New or Use "New Profile" Toolbar button to create profile for your database. By creating profile, you can transfer data to iPhone Contacts.




Figure 7: New Profile Menu

3.3 Profile Type Selection

After selecting New Profile, you will be prompted to New Profile Wizard as shown below.



Figure 8: Selection of Sync Action

From above screen select any one of the following sync type, by default sync type is "**Desktop Database Overwrites iPhone Contacts**".

Lite version do not allow sync type, "**Desktop Database Adds iPhone Contacts**"

"**Sync data with specific iPhone Contacts Group**" option transfer data to specific group of Contacts. Due to this feature other Contacts do not get disturb. Data get transfers to specific group only.

Default Group is ContactSync. Database will always transfer to this Group.

Lite version allows transferring contacts in ContactSync Group only.

- **Desktop Database Adds iPhone Contacts: (This is not supported in this Lite version)**

Every time when sync take place, this profile type will keep your iPhone Contacts as it is and new data from desktop database will be added to your previous Contacts, this sync type should be used only once, on next sync it can append same records and it will create repeated records.

- **Desktop Database Overwrites iPhone Contacts:**

Every time when sync take place, this profile type will delete all the data for specific group from your iPhone Contacts and add complete new data from desktop database to Contacts of iPhone.

3.4 Database Selection & Sync Information




Figure 9: Database Selection

From above figure, either select "File Based Database" or "ODBC Database".

- **File Based Database**

File based database allows you to select database like MS Access (mdb), Excel file (xls), dbase (dbf) files.

Click on browse button and browse to the location where your database file is situated and select one.

- **ODBC Database**

Databases compatible to ODBC can be selected using DSNs. Select a DSN from available DSNs of your machine. You can manage these DSNs by clicking on "Config" button.

While selecting database, you may be prompted to enter security authentication like User Name and Password.

Enter profile name of your choice.

3.5 Table Selection/Query Building

After completing database selection, next step is table selection and building a query. Here you need to select a table from selected database. You will see screen below:




Figure 10: Table Selection

3.6 Applying Filters

In above figure, click on "**F**ilters" button, you will see following filter dialog:




Figure 11: Apply Filter

Here, you can apply as many filters as you want. Initially, one filter is shown, by default. Click on "Add" button to have more filters. Select check marks to those filters you want, select field from "Available Fields" popup, select operator from "Filter Operator" popup and click on "Filter Value" edit box and enter value, which you want as a filter condition value.

Remember, filter values must be proper as per data type of selected fields.

If you selected numeric field, say ID, then filter value must be numeric, say 35. For character data type filter value must be included in single quotes ('). For date/time fields, filter value must be in #. If you select filter operator IS then filter value must be NULL or NOT NULL. If you select filter operator like then filter values must be a pattern included in single quote.

Here are some examples of filters.

Phone NO IS NULL

Name IS NOT NULL

name like 'a%': Name starting with letter a

name = 'John'

amount >= 2000

birthdate = #1/1/1978#

time >= #2:10#

birthdate >= '1-jan-1978'

Note: Using # for filter conditions values may change depending on which database you are using. MS Access, Excel allows to uses # where as Oracle, SQL Server allows to use single quote (') for date filter values.

3.7 Field Mapping




Figure 12: Field Mapping

Here, you can map the *custom database* fields to *IPhone Contacts fields*, After sync according to this field mapping the data will be transfer to *IPhone Contacts*

This page is basically meant for one to one Field mapping between device and your desktop database fields. The Left hand side contains the *IPhone Contacts* standard fields, whereas the right hand side list contains the currently selected database fields. To change the field order, click a field name on the right hand and drag it up or down the list to match the data on the left and mark it as checked as well. It does the proper field mapping. Apply the same procedure for rest of the right hand fields.

After mapping click on "**Finish**" button to save the mapping in the profile database for further synchronization purpose. If your field mapping is not proper it will display appropriate message. If mapping is proper then the profile will be created successfully.

3.8 Field Mapping Preview

Click on "Finish" Button to finish new profile creation. After finishing, you will get profile in left pane of this software. Click on profile, database content preview will be shown on right pane of **iPhone Contacts Synchronizer Lite** window. This preview is different for different sync type.

If the sync type is "Desktop Database Overwrites iPhone Contacts " then it's look will be as follows.




Figure 13: Field Mapping Preview

3.9 Synchronize Database to iPhone

Use "Sync" button or use "Synchronize" Toolbar button to transfer current profile to iPhone. Once Database is transfer to iPhone, Software will show dialog "Please use **Get Contacts** button in ContactsSyncLite application on iPhone to transfer data in Contacts". After getting this message use "Get Contacts" button in ContactsSyncLite application on iPhone to transfer contacts to Contacts application.

4. Using Contacts Synchronizer Lite on iPhone




Figure 14: Icon of ContactSyncLite on iPhone



Tap on **Conta...cLite** icon on iPhone application. It will show you following application screen.




Figure 15: Contacts Sync Lite App on iPhone

In Desktop side application after using “Sync” button, you will get message “Please use **Get Contacts** button in ContactsSyncLite application on iPhone to transfer data in Contacts”, After getting this message use “Get Contacts” button in the software on iPhone to transfer contacts to Contacts application.

5. Sending Contacts in .csv format using Email.

Software allows sending contacts in .csv format using email. It allows sending contacts using your email account or cellica’s default email account (contactsync@cellica.com). If you use Cellica’s email account then your mentioned email account will receive mail from contactsync@cellica.com. Please mention proper email id in “To” edit box, contacts will be send to that email id as a .csv attachment.





Figure 16: Sending contacts as a .csv

6. Frequently Asked Questions

Frequently Asked Questions (FAQ) are questions that our customers routinely ask us or email about.

6.1 How to get UDID of iphone?

To get Device ID, connect your device to your Mac/PC and launch iTunes. In iTunes, select your device in the 'Devices' section and navigate to the Summary tab. Click on the Serial Number label to reveal the Identifier field and the 40 characters UDID. Press Ctrl+C to copy the UDID to your clipboard, and paste it in Device ID and Confirm Device ID field.



Figure 17: How to get UDID

6.2 What is limitation in Lite Version?

Lite version allows to use only sync type "Desktop Database Overwrites iPhone Contacts". It will work with only one group (category) "Contactsync". It works with 10 records of any database and allows sending 10 contacts in .csv format using email. In full version their no such type of limitation.

7. System Requirement

Desktop: Windows 2000, Windows XP, Windows 2003, Windows Vista

Device: iPhone or iPod touch running OS 2.0 or higher

8. Contact US

You can use the following email addresses to contact us:

1. Product support
support@cellica.com
2. Sales inquiries
sales@cellica.com